



# BubbleTron



## User Instructions

### BubbleTron

#### Unpacking:

Thank you for purchasing the BubbleTron. The BubbleTron has been thoroughly tested and is in good operating condition. Carefully check the unit for any damage that may have occurred during shipping. If the unit is damaged, carefully inspect your fixture for damage. If all accessories necessary to operate the unit are present, even if damage has been found or parts are missing, our toll free customer support number for assistance. Do not return this unit to your dealer without our support.

#### Instructions:

The BubbleTron is a portable high output bubble machine creating hundreds of bubbles a minute. It includes an On/Off remote control with a 25ft. cable. For more information of this product, please read these operating instructions to familiarize yourself with the basic operation and to understand these instructions completely before you operate this unit.

#### Customer Support:

American DJ® provides a toll free customer support line for set up and installation help and to answer any questions you encounter problems during your set up. You can also visit us on the web at [www.american-dj.com](http://www.american-dj.com) for more information or suggestions. Toll free customer service is available Friday 8:00 a.m. to 4:30 p.m. Pacific Standard Time.

Voice: (800) 322-6337

Fax: (323) 582-2610

E-mail: [support@american-dj.com](mailto:support@american-dj.com)

To purchase parts online visit <http://part.american-dj.com>

**Warning!** To prevent or reduce the risk of injury, do not expose this unit to rain or moisture.

**Caution!** There are no user serviceable parts. Do not attempt to make any type of repair yourself. If you have our consent, doing so will void your manufacturer's warranty. Even if your unit may require service please contact our customer support for further instructions.

©American DJ Supply® - [www.americandj.com](http://www.americandj.com) - E

## BubbleTron

## General Instructions

Please carefully read and understand the instructions in this manual thoroughly before attempting to operate this unit. These instructions contain important safety information regarding the use and maintenance of this unit. Please keep this manual with the unit, for future reference.

## BubbleTron

## Safety Precautions

- Keep the outside of this device dry at all times. Do not spill water or other liquids into or on to your unit. Be sure all bubble juice is kept inside the fluid tray! To prevent fire or shock hazard, do not expose this product to rain or moisture.
- Do not spill water or other liquids into or on to your unit
- Do not attempt to operate this unit if the power cord has been frayed or broken. Do not attempt to remove or break off the ground prong from the electrical cord. This prong is used to reduce the risk of electrical shock and fire in case of an internal short
- Disconnect from main power before making any type of connection
- Do not remove the cover under any conditions. There are no user serviceable parts inside
- Always be sure to mount this unit in an area that will allow proper ventilation. Allow about 6" (15cm) between this device and a wall
- Do not attempt to operate this unit, if it becomes damaged
- This unit is intended for indoor use only, use of this product outdoors voids all warranties
- During long periods of non-use, disconnect the unit's main power
- Always mount this unit in safe and stable matter
- Power cords should be routed so they are not likely to be walked on, pinched by items placed upon or against them.
- Heat -The appliance should be situated away from heat sources such as radiators, heat registers, stoves, or other appliances (including amplifiers) that produce heat.
- The fixture should be serviced by qualified service personnel when:
  - A. The power-supply cord or the plug has been damaged.
  - B. Objects have fallen, or liquid has been spilled into the unit.
  - C. The unit has been exposed to rain or water.
  - D. The appliance does not appear to operate normally or exhibits a marked change in performance.

## BubbleTron

- High velocity, high output fan
- Easy accessible front fluid tank
- High bubble output
- Low current draw
- Durable plastic casing
- Optional On/Off Remote Control
- Drain Spout located on the back

## BubbleTron

The BubbleTron carries a one year (36 months) warranty. Please fill out the enclosed warranty card. All returned service items whether under warranty or not, must be prepaid freight pre-paid and accompany a return label. The R.A. number must be clearly visible on the return package. A brief description of the problem and the R.A. number must also be written down on a separate sheet and placed in the shipping container. If the unit is under warranty, provide a copy of your proof of purchase in the shipping container. For a return number by contacting customer support.

## BubbleTron

**Power Supply:** Before plugging your unit into a power source, make sure the voltage in your area matches the required voltage for the American DJ® BubbleTron. The American DJ® BubbleTron is available in 120v and 230v version. Because line voltage may vary, be sure to plug your unit into a matching power source to operate.

**Filling the Tray Reservoir:**

1. Place the BubbleTron on a flat level surface.
2. The bubble juice tray is located in the front of the machine. Fill the tray, using premium American DJ® brand bubble juice. Make sure that you do not fill the tray above the designated fill line. Filling above the line will result in damage to the machine. After the usage, please empty the remaining juice to prevent damage as well.

**Operation:**

Once the tray has been filled, place the unit on flat level surface. Flip the power switch to the "ON" position and watch the bubbles come out by the hundreds. Be sure the unit remains in a level position to avoid accidental leaking.

**Remote Operation (Optional):**

The unit may be used with an optional on/off remote that can be used to power on the BubbleTron regardless of the setting of the units power switch.

*Remote Operation:*

1. Plug the remote control into the unit.
2. Push the power button on the remote to the "ON" position, main power will be indicated by a glowing red LED above the remote power button.

## MANUFACTURER'S LIMITED WARRANTY

A. American DJ, Inc. hereby warrants, to the original purchaser, that all American DJ Audio products to be free of manufacturing defects in material and workmanship for a period from the date of purchase (see specific warranty periods for each product). This warranty is valid only if the product is purchased within the United States and its territories. It is the owner's responsibility to establish a chain of custody and acceptable evidence, at the time service is sought.

B. For warranty service you must obtain a Return Authorization Number by sending back the product. Contact American DJ, Inc. for more information. The product only to the American DJ, Inc. factory. All shipping charges for requested repairs or service (including parts replacement) shall be paid by American DJ, Inc. will pay return shipping charges only to the United States. If the entire instrument is sent, it must be shipped in its original container should be shipped with the product. If any accessories are damaged, American DJ, Inc. shall have no liability whatsoever for loss of or damage to the product or safe return thereof.

C. This warranty is void if the serial number has been altered, modified in any manner which American DJ, Inc. concludes that the product is of the product; if the product has been repaired or serviced by anyone other than American DJ, Inc. factory unless prior written authorization was issued to the factory. If the product is damaged because not properly maintained as per the instructions, this warranty is void.

D. This is not a service contract, and this warranty does not include routine or periodic check-up. During the period specified above, American DJ, Inc. will provide parts at its expense with new or refurbished parts, and service and repair labor by reason of defects in material or workmanship of American DJ, Inc. under this warranty shall be limited to the cost of the product, including parts, at the sole discretion of American DJ, Inc. If the product was manufactured after January 1, 1990, and before January 1, 1991, the warranty shall be limited to the cost of the product.

E. American DJ, Inc. reserves the right to make changes to its products without any obligation to include these changes in the warranty. No warranty, whether expressed or implied, shall apply to the accessory supplied with products described above. Except as otherwise provided by law, all implied warranties made by American DJ, Inc. in connection with the sale of its products, whether expressed or implied, are limited in duration to the period specified above. And no warranties, whether expressed or implied, or fitness, shall apply to this product after said period has expired. The sole remedy shall be such repair or replacement as is expedient in the circumstances shall American DJ, Inc. be liable for any loss or damage arising out of the use of, or inability to use, this product.

This warranty is the only written warranty applicable to American DJ Audio Products and supersedes all prior warranties and written conditions heretofore published.

## MANUFACTURER'S LIMITED WARRANTY PERIODS:

- All American Audio Products = 1-year (365 day) Limited Warranty
- All American Audio V-Plus Series Amplifiers = 3-year (1095 day) Limited Warranty
- American DJ Lighting and American DJ Branded Products (Such as: Special Effect Lighting, Intelligent Lighting, UV Lighting, Fog Machines, Mirror Balls, Par Cans, Trussing, Lighting Stands, and Star Tec Series)
- American DJ Laser Products and Star Tec Products = 9-year (3285 day) Limited Warranty
- American DJ L.E.D. Products = 3-year (1095 day) Limited Warranty

©American DJ Supply® - www.americandj.com - B

BubbleTron

Specifications

<b>MODEL: BUBBLETRON</b>	
<b>VOLTAGE*:</b>	120V~60Hz (U.S.) 230V~50Hz (Europe)
<b>POWER CONSUMPTION:</b>	24W
<b>DIMENSIONS:</b>	14" x 7" x 8.25"
<b>WEIGHT:</b>	4Lbs. / 2 kgs
<b>FUSE:</b>	1 AMP
<b>WORKING POSITION:</b>	FLAT LEVEL POSITION
<b>FLUID CONSUMPTION RATE:</b>	1 LITER EVERY 2 HOURS
<b>COOLING:</b>	FAN COOLED
<b>DUTY CYCLE:</b>	NONE
<small>* Voltage is preset at the factory and is not user selectable</small>	

**Please Note:** Specifications and improvements in the design of this unit and this manual are subject to change without any prior written notice.

American DJ  
6122 S. Eastern Ave. Los Angeles, CA 90001  
Tel: 323-582-2650  
Web: [www.americandj.com](http://www.americandj.com) / E-mail: [service@adjgroup.eu](mailto:service@adjgroup.eu)

Follow Us On:



[facebook.com/americanDJ](https://www.facebook.com/americanDJ)  
[twitter.com/americanDJ](https://twitter.com/americanDJ)  
[youtube.com/americanDJ](https://www.youtube.com/channel/UCaUuMashfby_0mYdy0_puzyrey/)  
[http://acctechnical.com/mashfby\\_0mYdy0\\_puzyrey/](http://acctechnical.com/mashfby_0mYdy0_puzyrey/)